

# PROPELLER BEAD SKIDS



## Save Time and Hassle, Buy Prebuilt!

Start your system quickly and easily with a prefabricated AST Skid. Skids include all the necessary filtration equipment and only need to be hooked up to a tank or pond. Pre-filtration, the filter, UV sterilizer, and a water pump are standard with any AST skid system.

Professionally plumbed system includes proper valve configurations for adjusting flow or redirecting flow for backwashes. Unions are installed for easy maintenance of equipment, saving you from headaches. Upgrades are available ranging from automated controllers and valves, more powerful UVs, protein skimmers, saltwater pump, and higher head pumps.

### SKID BENEFITS:

- **Professionally plumbed** with easy access unions for maintenance
- **Compact footprint** providing biological and mechanical filtration
- **UV Sterilizer** included (standard) for pathogen and algae control
- **Easily installed** or moved with quick connect fittings
- **Rugged fiberglass pallet** with clearance for pallet jack

*Skid dimensions may vary. Upgraded equipment can change the footprint.*

| SKID NAME       | Filter Model*     | Standard Skid UV | Koi Pond Sizing (gallons) | Lobster Holding** (gallons) | RAS Growout (gallons) |
|-----------------|-------------------|------------------|---------------------------|-----------------------------|-----------------------|
| PBF-3F SKIDSYS  | 3 cubic foot PBF  | 80W              | 5400                      | 360                         | 720                   |
| PBF-5 SKIDSYS   | 5 cubic foot PBF  | 80W              | 9000                      | 600                         | 1200                  |
| PBF-5S SKIDSYS  | 5 cubic foot PBF  | 120W             | 13500                     | 1200                        | 1500                  |
| PBF-10 SKIDSYS  | 10 cubic foot PBF | 150W             | 18000                     | 1200                        | 2400                  |
| PBF-10S SKIDSYS | 10 cubic foot PBF | 150W             | 27000                     | 1800                        | 3000                  |

\*cubic feet indicates amount of media in filter      \*\*12 minute turnover

For more detailed information on sizing and applications, consult the filter model's Specifications and Sizing Charts.